

Declaring your City/Town

SBM ODF+ and SBM ODF++

Toolkit for Urban Local Bodies



Foreword



HARDEEP SINGH PURI
MoS (I/C) Ministry of Housing and Urban Affairs

The Swachh Bharat Mission (SBM), launched on 2nd October 2014, has one of its stated objectives as the achievement of Open Defecation Free (ODF) status in all the Urban Local Bodies (ULBs) in India, by October 2019. This is probably the best tribute the country can pay to the father of our nation, Mahatma Gandhi.

In a bid to step up the pace of ODF achievement, our Ministry is now monitoring outcomes (number of ODF wards and cities) in a focused manner, rather than outputs (numbers of toilets built).

The ODF protocol is being rigorously followed for declaring and certifying ODF status of cities. With 24 states / UTs and 4,273 cities declared ODF, it is time to step up the rigour of the process by putting in place additional parameters to ensure the sustainability and long term impact of the ODF status. I am happy to see that this toolkit on SBM ODF+ and SBM ODF++ protocols includes sustainability aspects including improved access to individual toilets, community and public toilet maintenance, functionality and liquid waste / fecal sludge and septage management (FSSM).

It is my firm belief that this will go a long way in strengthening the overall ODF mandate of the Swachh Bharat Mission and ensure that the long term impact of ODF is truly achieved.



Contents

BACKGROUND, OBJECTIVES & SCOPE	6
ODF: DEFINITIONS AND NECESSARY CONDITIONS	7
SBM ODF+: DEFINITIONS AND NECESSARY CONDITIONS	8
SBM ODF+ DECLARATION PROTOCOL	9
SBM ODF+ DECLARATION FORMATS	11
SWACHH CERTIFICATION FORSBM ODF+	14
SBM ODF++: DEFINITIONS AND NECESSARY CONDITIONS	16
SBMODF++DECLARATIONPROTOCOL	17
SBM ODF++ DECLARATION FORMATS	19
SWACHH CERTIFICATION FOR SBM ODF++	22
ANNEXURES	24
1. CT-PT Cleanliness Scoring Matrix	24
2. Format for self-declaration by school students	33
3. Format for self-declaration by school staff and teachers	
(to be attached with the school declaration)	33
4. Sample list of documents to be furnished by ULB / Development	
Authority / Cantonment Board for Third Party verification for SBM ODF+	33
5. Necessary conditions for management of faecal matter from all toilets	
(individual, community and public)	34
6. Format for self-declaration to be submitted by desludging operators	35
7. Sample list of documents to be furnished by ULB / Development	
Authority / Cantonment Board for Third Party verification for SBM ODF++	33
8. Good Practices adopted by ULBs/States	35
9. Standalone Urinals Cleanliness Matrix	36

Background, Objectives & Scope

BACKGROUND

India's urban population has sharply increased from 19.9% in 1971 to 31.2% in 2011. This unprecedented growth, along with high economic growth, has resulted in a severe challenge for Urban India, in terms of addressing the incremental infrastructural needs of a fast- growing urban population. One of the major challenges arising out of increased migration of the populace from rural areas to cities and towns in search of an improved quality of life has been the issue of access to sanitary facilities, and the associated menace of open defecation, especially in areas housing

economically weaker sections of society, where open defecation (OD) spots are more likely to be found.

The Swachh Bharat Mission – Urban aims to fulfil the objective of 100% Open Defecation Free status in all Urban Local Bodies (ULBs) in the country by 2 October 2019. This will entail providing access to toilet facilities (i.e. construction of sanitary latrines – individual household toilets, community and public toilets). In parallel, it will also entail operation and maintenance of these facilities to maintain their functionality, including effective faecal sludge and septage management (FSSM) to ensure both safe containment, emptying, collection, transportation, treatment, and/or safe disposal. Simultaneously, behavior change initiatives will need to be continued through intensive participation of key stakeholders—self-help groups, students and youth, corporate organizations, to ensure that these sanitary facilities are used regularly and correctly.

OBJECTIVES

The purpose of this toolkit is to provide a readiness check and guideline for cities and towns that have already achieved Open Defecation Free (ODF) status as per the ODF protocol prescribed by the Ministry of Housing and Urban Affairs (MoHUA) and are working towards ensuring sustainability of the ODF status to ensure proper maintenance of toilet facilities, hereby referred to as SBM ODF+, and safe collection, conveyance, treatment and disposal of all faecal sludge and sewage, hereby referred to as SBM ODF++, in order to achieve safe sustainable sanitation for all. Similar to the ODF Protocol, this toolkit provides the detailed SBM ODF+ protocol and SBM ODF++ protocol laid down by MoHUA, along with declaration formats to be obtained from various stakeholders, that wards / work circles (in case under jurisdiction of development

authority) and cities are required to submit, as part of the SBM ODF+ and SBM ODF++ declaration and certification process. It also describes the procedure for certification of SBM ODF+ and SBM ODF++ claims by ULBs/ Development Authorities / Cantonment Boards, by a third party.

SCOPE

This toolkit can serve as a readiness checklist for all ULBs / Development Authorities / Cantonment Boards to prepare themselves and their concerned stakeholders in achieving either SBM ODF+ and/or SBM ODF++ status and officially declare the same, followed by certification, as per the protocol outlined.



ODF: Definitions and Necessary Conditions

As a refresher, the salient features of the ODF protocollaid down by MoHUA have been described ahead.

DEFINITION OF OPEN DEFECATION FREE CITY/WARD

A city / ward can be notified/declared as ODF city/ ODF ward if, at any point of the day, not a single person is found defecating in the open.

NECESSARY INFRASTRUCTURE AND REGULATORY CONDITIONS TO BE ACHIEVED BEFORE DECLARING A CITY/ WARD AS OPEN DEFECATION FREE:

- 1) All households that have space to construct toilet, have constructed one. At least 90 % of approved IHHL applications should be constructed and details with photographs have been uploaded on SBM-U Portal.
- 2) All occupants of those households that do not have space to construct toilet have access to a community toilet within a distance of 500 meters. The ULB should have achieved 90% of its target for construction of Community Toilets and details with photographs have been uploaded on SBM-U Portal
- 3) All commercial areas have public to ilets within a distance of 1 kilometer. The UL should have achieved 90% of its target for construction of Public Toilets details with photographs have been uploaded on SBM-U Portal
- 4) Details of all Individual household toilets (IHHL) constructed from 2011 onwards will have to mandatorily be uploaded on the SBM- Urban portal
- 5) Pictures of all functional community and public toilets in the city, irrespective of the date of construction, will have to mandatorily be uploaded on the SBM-Urban portal.
- 6) Fine mechanism has been implemented by the ULB to prevent citizens from defecating in the open.
- 7) In an event of failed assessment, the reassessment would be conducted after a cooling-off period of one month from the date of failed assessment. If the ULB fails for the second time, the next assessment would be conducted after six months from the date of second reassessment
- 8) Cities applying for higher certification, may do so after six months from the date of issue of existing certificate. The conditions are in-line with Swachh Survekshan Toolkit and GFC Protocol.

9) Adequate/minimum number of Community and Public Toilets are constructed as per guidelines of Central Public Health and Environmental Engineering Organisation (CPHEEO) and at the same time complying to the requirements mentioned in the respective protocols

DECLARATIONS TO BE SUBMITTED AS PART OF ODF PROTOCOL:

- 1) City/townODFDeclarationfromMayor/Chairperson
- 2) Ward ODF Declaration from Ward Councillors, with following sub-declarations:
- a. Every school in a ward provides self-declaration that all students enrolled in it have access to, and are routinely using toilets at home and at school.
- b. Every self-help group active in a ward gives a declaration that all residents of that ward have access to, and are routinely using, toilets at home.

MOVING BEYOND ODF - SBM ODF+ AND SBM ODF++

The SBM ODF+ and SBM ODF++ protocols build upon the ODF protocol while keeping true to its provisions, so as to provide a platform for cities and towns to improve sanitation sustainability. The protocols are incremental in nature, and reflect on-ground realities present in India.

With effect from 1st June 2020, all such cities which are due for ODF re-certification shall be assessed as per ODF+ protocol.

SBM ODF+: Definitions andNecessary Conditions

DEFINITION OF SBM ODF+CITY/WARD/WORK CIRCLE

Acity/ward/work circle1 can be notified/declared as SBM ODF+city/SBM ODF+ward/SBM ODF+work circle if, at any point of the day, not a single person is found defecating and/or urinating in the open, AND all community and public toilets are functional and well maintained.

Note: Cities that have been certified ODF at least once on the basis of the ODF Protocol laid down by MOHUA shall be eligible to declare themselves as SBM ODF+ and apply for certification of SBM ODF+ status, as per the conditions laid down in this protocol document.

NECESSARY INFRASTRUCTURE AND REGULATORY CONDITIONS TO BE ACHIEVED BEFORE DECLARING A CITY/ WARD AS SBM ODF+:

- 1) All applicable conditions for ODF as detailed above, with the following additional conditions:
- a. Individual toilets should be functional and well-maintained, with water availability.
- b. All public areas 2 have functional public toilets within a span of 1 kilometer.
- c. ULB should have constructed 100 % of approved IHHL applications and constructed 100 % of CT/PT as per target. All constructed toilet photographs need to be uploaded on the SBM (U) Portal.
- 2) While deciding the number of toilet seats / urinals and blocks, the city's entire floating population must have been considered
- 3) The city has sufficient mobile toilets/toilet facilities for use during occasions with large gatherings in a single area i.e. situations with high demand for toilets, where existing facilities may not be sufficient, regardless of how infrequent these occasions are.


- 4) Cityhascarriedoutstructuralauditofallcommunity / public toilets and carriedout necessary repairs and renovations on the basis of the findings.
- 5) All functional public and community toilets should be appropriately provisioned and well-maintained, with all conditions as per CT-PTClean liness Scoring Matrix given in Annexure 1 adhered to. Each toilet shall be scored as per the framework provided in Annexure 1. Notoilet should be rated as 'UNUSABLE' as per the scoring matrix.
- 6) Atleast1or10%, whicheverishigher, of functional public and community toilets should be rated as 'ASPIRATIONAL' as per the CT-PT Cleanliness Scoring Matrix.
- 7) ULB/DevelopmentAuthority/CantonmentBoardhas notifiedsanitationservicelevelbenchmarks, attheleast adhering to all conditions defined for SBM ODF+ in this protocoldocument, inmunicipal by e-laws (or equivalent, in absence of municipal administration) and published the same in at least two dailies with wide reach.
- 8) Thecityhasissuedandnotifiedfines against open defecators, and people urinating in open defined penalty / fine against concessionaires/maintenance authorities in-charge of community / public toilets in service contract (with respect to poor maintenance of such toilets).
- 9) AllPublicandCommunityToiletsshouldbemappedon Google ToiletLocator
- 10) Cities once certified as ODF+, can apply for higher certification only after six months from the date of issue of existing certificate.
- 11) No toilets should be Under Construction.

 Provided 100% targets have been achieved,
 additional requirement for construction can be
 considered.
- 12) At least 10% of standalone urinals in the city are rated as 'Aspirational'
- 13) All CT/PT which are inspected should be rated as 'Clean'

² Public areas areareas with open access to public, especially those with high footfall (number of people at a given time) daily/periodically, including but not limited to parks and gardens, transit hubs (railway stations, airports, bus stations, etc.), institutional areas and other public areas.

SBM ODF+ DeclarationProtocol

The following protocol is to be adopted for declaring a city / ward / work circle as SBM ODF+:



THE PROTOCOL IS ELABORATED BELOW:

 All the 'necessary conditions' on infrastructure and regulations have to be fulfilled by the city / ward / work circle1

Following the fulfilment of (1) above, a declaration has to be obtained from all wards / Work Circles of the city/town, without exception, declaring respective wards / work circles as ODF Plus. All wards / work circles of a city/town shall make this self-declaration and submit to city municipal administration / development authority as per due process.

- 2) The following sub-declarations are to be obtained by the municipal administration / development authority / cantonment board / wards / work circles, as applicable, in order to facilitate the above self-declaration:
- Every school (including schools built after ODF certification) in a ward / work circle provides self-declaration that all enrolled students, staff and teachers have access to, and are routinely using toilets at home or in the community, and at school, and that these toilets are functional and wellmaintained.
- ii. Every self-help group (including SHGs formed after ODF certification) active in award / work circle gives a declaration that all residents of that ward / work circle have access to, and are routinely using, toilets at home or in the community, and that these toilets are functional and wellmaintained.
- iii. Atleast 5% (minimum 5 nos.) RWAs/housing committees in a ward / work circle give a declaration that there are functional toilet facilities within the premises for the use of male and female non-resident workers/ staff3 and other working population visiting the society/colony routinely or for extended hours/days at a time, and that these toilets are clean and usable at all times.
- 1 Work circle applicable only in case concerned area is under jurisdiction of development authority
- 2 Allenrolled students that reside in urban areas of the jurisdiction of city/town administration
- 3 Including domestic workers, construction workers,
 - maintenance staff, security staff, drivers
- iv. Self-declarations from six citizen categories (five representatives in each category) that the city/town has functional, clean and usable public toilets available at every 1 kilometer in public and commercial areas in the ward.

- v. Every ward councilor / work circle in-charge or engineers gives a declaration that all necessary conditions are fulfilled for all individual, community and public toilets in the jurisdiction.
- 3) On fulfillment of the above, the city municipal administration / development authority must pass a preliminary resolution or issue a notification in local dailies of wide reach, declaring the city to be SBM ODF+.
- a) Following such resolution/notification, a suitable public announcement must be made for the same as well, in atleast two newspapers of wide circulation and readership, inviting public feedback / objection with a fifteen day timeline.
- 4) If no substantial objections are received at the end of this time, a final resolution is adopted by the city municipal administration/development authority and the same is communicated to respective state government.
- 5) On receipt of the said communication, the state government may have the claim of the city verified through an appropriate third party verification process (in a time bound process) before formally according the city the status of being SBM ODF+.
- 6) MoHUA will then carry out the "Swachh Certification for SBMODF+" process (detailed later in this document). Issued certificate shall be valid for *twelve* months and the certification process will need to be carried out every *twelve* months. In case of failure in certification, a one-month cooling off period (from date of certification failure) shall be applicable before the respective city may again request for SBM ODF+ certification. If the ULB fails for the second time, the next assessment would be conducted after six months from the date of second reassessment
- 7) Cities once certified as ODF + can apply for higher certification only after six months from the date of issue of existing certificate.

SBM ODF+ DeclarationFormats

1. FORMATFOR DECLARATION TO BE SUBMITTED BY CITY/TOWN

I,...., Mayor / Chairperson / CEO of(Name of ULB / development authority / cantonment board) do hereby declare that:

- a) ULB / Development Authority / Cantonment Board has notified sanitation service level benchmarks, at the least adhering to all conditions defined for SBM ODF+, in municipal bye-laws (or equivalent, in absence of municipal administration) and published the same in atleast two dailies with wide reach.
- b) The city/town has sufficient mobile toilets/toilet facilities for use during occasions with large gatherings in a single area i.e. situations with high demand for toilets, where existing facilities may not be sufficient.
- c) City has carried out structural audit of all community
 / public toilets and carried out necessary repairs and renovations on the basis of the findings.
- d) The city has issued and notified fines against open defecators, and defined penalty / fine against concessionaires/maintenance authorities in-charge of community / public toilets in service contract (with respect to poor maintenance of such toilets)
- e) All Ward Councillors / Work Circle In-Charges / Engineers in the city / town have submitted their self- declarations regarding SBM ODF+ status
- f) Preliminary resolution has been passed declaring the city / town as SBM ODF+
- g) Above resolution has been publicly announced, in atleast two newspapers of wide circulation and readership, inviting public feedback / objection within 15 days of announcement
- h) Since no objections have been received within the stipulated time period / since objections and feedback received from the public have been addressed, a final resolution has been adopted by this office regarding SBM ODF+ status
- i) This final resolution has been communicated to the state government for further verification (if decided to be carried out).
 Accordingly,....................... (Name of city / town) is hereby declared SBM ODF+.

MoHUA is now requested to carry out the "Swachh SBM ODF+ Certification" process for (Name of city / town).



(Signature,
and Name of Mayor / Chairperson / CEO) Date:
Seal:

2. FORMAT FOR DECLARATION TO BE SUBMITTED BY EVERY WARD COUNCILLOR/ WORK CIRCLE IN-CHARGE OR ENGINEER

- a) All households that have space to construct toilet, have constructed one. Individual toilets are functional and well-maintained, with water availability.
- b) All occupants of those households that do not have space to construct a toilet have access to a functional community toilet within a distance of 500 meters.
- c) All public areas and commercial areas have functional public toilets within a distance of 1 kilometer.
- d) While deciding the number of toilet seats and blocks, the city's entire floating population has been considered.
- e) All residential societies with resident welfare associations (RWAs)/housing or mohalla committees have toilet facilities within the society/colony premises for use by both male and female non-resident workers/staff i.e. any working population visiting the society/colony routinely or for extended hours/days at a time, and that these toilets are clean and usable at all times.
- All functional public and community toilets are appropriately provisioned and well-maintained, and meet the mandatory conditions, as per CT-PT Cleanliness Scoring Matrix.
- f) Atleast 1 or 10%, whichever is higher, of functional public and community to ilets have been rated 'ASPIRATIONAL' as per CT-PT Cleanliness Scoring Matrix.

Ifurtherded	clare that I have formally submitted this declaration
to the	(Name of ULB / development authority /
cantonmer	nt board) for further necessary action.
(Si	ignature, and Name of Ward Councillor / Work Circle
In-Charge,	Engineer)

Date: Seal:

3. FORMAT FOR DECLARATION TO BESUBMITTED BYSCHOOLS

I do hereby declare that:

•school	
(name of school), in ward no /	⟨€3⟩
work circle, under	\bowtie
(Name	
of ULB / development authority /	•
cantonment board), has	
number of students, and	
numbers of staff (including teachers)	

- The school has sufficient number of functional toilets for all students and staff. None of the students or staff go out for defecation or urination while in school.
- The toilets are well-maintained, with all mandatory conditions defined for toilets (as per Annexure 1 (CT-PT Cleanliness Scoring Matrix). The toilets are well-maintained, with all mandatory conditions defined for toilets as per ODF protocol.
- Every student in the school, along with their family members, uses a toilet at home / uses a community toilet situated in the neighborhood, for defecation and / or urination.

•	The self-declaration from each of the students and staff at
	attached herewith (refer Annexures 2 and 3)
	(Signature and Name of Principal / Headmaster /
Н	eadmistress of School)

Date:

Address:

Phone Number: Date:

4. FORMAT FOR SELF-DECLARATION TO BE SUBMITTED BY SELF-HELP GROUPS

This is to declare that every member of the Self-Help
Group (Name of Self-help group) in Ward number
/ Work circleof of (Name of ULB
/ development authority / cantonment board) comprising
members (number of members), whose names are
attached as annexure, along with their family members,
uses a toilet at home / uses a community toilet situated
in the neighborhood, for defecation and urination, and
that these toilets are functional and well-maintained, with
water availability, and also that ward number / work circle
has functional and well-maintained public
and community toilets, with not a single person defecating or
urinating in the open.
(Signature OR thumb impression, and Name, of
President of the Self-Help Group)
Date:
(Attach list of names of SHG members)

5. FORMAT FOR DECLARATION BY RESIDENT WELFARE ASSOCIATION/HOUSING COMMITTEE

COMMITTEE
This is to declare that the
(Name of RWA/
Housing or mohalla committee) of
(Name of residential
society/colony/area) in ward number
/ work circleof
(Name ULB / development authority /
cantonment board) has toilet facilities within the society/
colonypremisesforusebybothmaleandfemalenon-resident
workers/staff (including domestic workers, construction
workers, maintenance staff, security staff, employed drivers) i.e.
any working population visiting the society/colony routinely
orforextended hours/days at a time, and that these to ilets are
clean and usable at all times.
(Signature and Name of RWA / Housing or Mohalla committee)
Date:
6. FORMATFORSELF-DECLARATION BY CITIZEN
REPRESENTATIVES
I, (Name), authorized representative on
behalf of (Name of citizen category)
in(Name of ULB / development authority /
cantonment board) do hereby declare that functional, clean
and usable public toilets are available at every 1 kilometer in
public and commercial areas of ward number / work circle
citizen category)

Swachh Certification For SBM ODF+

Once a city has communicated to the respective state governmenthefinalresolutiondeclaringthecitytobeSBM ODF+, and the stategovernmenth as communicated the same to MoHUA (or incase of development authority or canton ment board, city has directly communicated to MoHUA) at hird party verification process ("Swachh Certification for SBM ODF+") is to be adopted, for the final SBM ODF+ certification.

In an event of failed assessment, the reassessment would be conducted after a cooling-off period of one month from the date of failed assessment. If the ULB fails for the second time, the next assessment would be conducted after six months from the date of second reassessment

Subsequently, recertification of SBM ODF+ will happen at fixed intervals *(every twelve months)*, soastoensurethatthere is no slippage of the SBM ODF+ status. Protocoltobefollowedfor SwachhCertificationforSBMODF+ Thefollowingprotocolwill needtobefollowedforreceiving the SwachhCertification:

- a. Cityself-declaresitselfas "SBMODF+" for the first time and communicates the same to state SBM Mission Directorate, which in turn communicates to MoHUA, or directly to MoHUA if under Development Authority / Cantonment
- b. Upon request by City/State to MoHUA, a third party (selected by MoHUA) will mobilize assessors to conduct the verification within a period of 30 days.
- c. For the initial verification, the third party will assess both Service Level Status as well as conduct Independent Observation.

- d. Based upon the result of the assessment, the third party will make recommendations to MoHUA for cities to be certified SBMODF+.
- e. MoHUA will subsequently issue a certificate based upon the recommendation of the third party.
- f. The certificate, when issued, will need to be re-certified every *twelve* months.
- g. For recertification, upon receiving request, the thirdparty willconductindependentobservation within the city within a period of 30 days.
- h. It is to be noted that Service Level Status will not be rechecked during the Re-recertification.

METHODOLOGY FOR SWACHH CERTIFICATION FOR SBM ODF+

The verification process will be conducted in two parts:


- i. Service Level Status
- ii. Independent Observations

a. Service Level Status:

- i. Preliminary data will be collected in advance by a process of self-assessment from ULBs / Development Authorities / Cantonment Boards as per the defined protocol.
- ii. Third party assessors will visit ULBs / Development Authorities / Cantonment Boards to review the documentation and collect the data systematically ensuring that the process is independent and unbiased.

b. Independent Observations:

i. ULB / Development Authority / Cantonment Board must mandatorily provide complete city profile data to MoHUA after SBM ODF+ declaration, to facilitate observations.



Location Type	No. of locations per zone (>10 lakh+)	No. of locations per city (10 lakh+)	No. of locations per zone (1-10 lakh)	No. of locations per city (1 -10 lakh)	No. of locations per zone (<1 lakh)	No. of locations per city (<1 lakh)
Slum	2	8	1	4	1	2
School	1	4	1	4	1	2
Roads and Streets (Falling under open defecation spots and open urination spots)	1	4	1	4	1	2
Public Area (Parks/ Temples/Tourist spots)	1	4	1	4	1	2
Commercial Area (Markets/bazaars, mandis)	2	8	1	4	1	2
Residential Area Transport hubs (Railway Stations/Bus	2	8	1	4	1	2
Stands/others)	2 per city	2	2 per city	2	1 per city	1
Water bodies (pond, lake, stream, river banks, beach/coast)	2 per city	2	2 per city	2	1 per city	1
Total	-	40	-	28	-	14

- ii. The collection of data will be based on physical observation by the third party assessors.
- iii. The question naire to facilitate data collection will be created by the third party in conjunction with Ministry of Housing and Urban Affairs.
- iv. The survey assessors will use IT enabled devices to record their observations and findings along with photographs.
- v. The third party will systematically collect photos as evidence for field observations ensuring that the location, date and time are tagged on all the pictures.
- vi. For the assessment, cities will be classified based on population as below. Based upon the size of the city, it will be divided into zones.
- vii. For cities with greater than 10 lakh population, the city will be divided into 4 zones North, South, East and West.
- viii. For cities with population between 1–10 lakh, the city will be divided into 4 zones North, South, East and West.
- ix. For cities with population less than 1 lakh, the city will be divided into 2 zones North and South.
- x. During community / public toilet assessment, necessary conditions for each toilet will be scored as per the framework provided in Annexure 1, All community / public toilet should be rated a minimum of usable but dirty to qualify as fulfilling the conditions under SBM ODF+. All community / public toilet under 'ASPIRATIONAL' category should be rated of 'ASPIRATIONAL" to qualify as fulfilling the conditions under SBM ODF+.
- xi. All locations shall be within ULB limits and will be finalized at the discretion of the third party. The selected locations shall not be communicated to ULB / Development Authority / Cantonment Board. A pre-visit may be conducted by a separate team to identify locations for sampling at the discretion of MoHUA.

xii. The following table lists the locations which have to be mandatorily inspected by the third party for independent observation, without exception.

INSPECTION

- i. The third party shall NOT communicate assessors' arrival in the city to ULBD evelopment Authority / Cantonment Board . Surprise Assessment shall be conducted within one month from the date of application. The condition is in-line with Swachh Survekshan Toolkit and GFC Protocol. The assessor(s) shall NOT meet the Municipal Commissioner / Nodal Officer / Chairperson / CEO or any designated officer .
- ii. Assessor(s)shallconductinspectionforopendefecation and toilets in the early morning hours (4am to 6am) and lateevening hours (8pm to 10pm), viz. peakhours foropen defecation and toilet usage. The designated assessor shall visit the inspection sites (only) and prepare/submit her/his report. The assessor(s) shall **NOT** be accompanied by ULB / Development Authority / Cantonment Board staff on the inspection.
- iii. If the assessor(s) fails to geo tag the location correctly (i.e., latitude and longitude versus the name of the said location) and in the report if there is a mis-match then the said location shall be considered null and void and in case of complaint by ULB / Development Authority / Cantonment Board on such and related matters a penalty of Rs. 500/- per case may be imposed on the third party. Quality Audit on the work of the assessor would be conducted.

SBM ODF++: Definitions and Necessary Conditions

DEFINITION OF SBM ODF++ CITY/WARD

Ac ity/ward/workcircle1can benotified/declared as SBM ODF++city/SBM ODF++ward/SBM ODF++workcircle if, at any point of the day, not a single person is found defecating and/or urinating in the open, all community and public to ilets are functional and well maintained, AND entire faecal sludge/septage and sewage is safely managed and treated, with no discharging and/or dumping of untreated faecal sludge/septage and sewage in drains, water bodies or open areas.

 $Note: Cities that are complying with SBMODF+Protocol\\ laid down by MoHUA shall thereafter be eligible to declare\\ themselves as SBMODF++ and apply for certification of SBMODF++ status, as per the conditions laid down in this protocol document.$

NECESSARY INFRASTRUCTURE AND REGULATORY CONDITIONS TO BE ACHIEVED BEFORE DECLARING A CITY/ WARD AS SBM ODF++:

- 1) All necessary conditions for SBM ODF+ (as per the SBM ODF+ protocol laid down by MoHUA) have been achieved, except that atleast 25% of functional public and community toilets have been rated 'ASPIRATIONAL' as per CT-PT Cleanliness Scoring Matrix Annexure 1. All functional public and community toilets should be appropriately provisioned and well-maintained, with all conditions as per CT-PT Cleanliness Scoring Matrix given in Annexure 1 adhered to. Each toilet shall be scored as per the framework provided in Annexure 1. No toilet should be rated as 'UNUSABLE' as per the scoring matrix.
- 2) All toilets (individual, community and public) are either connected to:
- a. sewer networks; or
- b. safe containment systems (such as septic tanks, twin pits or other on-site sanitation systems prescribed by CPHEEO or under SBM-Urban Mission Guidelines), with regular emptying, treatment and/or safe disposal of septage from these toilets managed as per conditions given in Annexure.


 At-least 1/3rd septic tanks to be cleaned annually.

 Minimum 25 % septic tanks should have been cleaned in the year of application for ODF++

- 3) Allseptictankcleaningserviceprovidersareregistered with and licensedbyULB/DevelopmentAuthority/Cantonment Board, operatethroughcontractwiththe respective administrationor authorityinascheduled manner/allotted areas and are utilizing well-maintained mechanized equipment2.
- 4) Thecityhasissuedandnotifiedfinesagainstpersons/desludging operators dumping untreated faecal sludge in drains and / or open areas.
- 5) ULB/DevelopmentAuthority/CantonmentBoardhas notified sanitationservicelevelbenchmarks,attheleast adheringtoall conditionsdefinedforSBMODF++,in municipal bye-laws (or equivalent) and published the same in atleast two dailies with wide reach.
- 6) For cities with population less than 20,000 interim measures such as Deep Row Entrenchment, Sludge Drying beds may be considered.DO letter released by MoHUA on 22nd October 2019 may be referred.
- 7) No toilets should be Under Construction. Provided 100% targets have been achieved, additional requirement for construction can be considered
- 8) At least 25% of standalone urinals in the city are rated as 'Aspirational"
- 9 It is preferred that 100% Septic tanks in the city have soak pits and are geo-tagged.
- 10) Out of total septic tanks in the city, at-least 25 % of septic should have soak-pits.
- 11) The process of geo-tagging should be completed for at least 25% of septic tanks with soak pits.
- 12) Incase septic tanks do not have soak pits, action plan for ensuring the same needs to be submitted.
- 13) It is desirable to conduct scheduled inspection of septic tanks and soak pits(institutionalization). ULB is advised to have Contracts place.
- 14) The Septic tank design should conform to IS: 2470
 Part I, and Soak pits/soak wells should conform to
 IS: 2470- Part -II
- 15) All new septic tanks being constructed henceforth need to be in conformity of design as per IS 2470
- 16) Cluster approach/Co-treatment can be adopted by small ULBs along with MoU, Log books and other records of operation and maintenance to ensure compliance as per National FSSM Policy
- 17) By-laws for mandatory desludging once in three years should be notified
- 18) Adequate number of desludging vehicles and workforce should be available
- 19) Sustainable financing mechanism i.e. operational expenditure of FSSM value chain should be recovered either through dedicated sanitation tax(mentioned in property tax) /Advance remittance of user charges. At least collection and transportation cost should be recovered.
- 20) Awareness campaigns around safe desludging and treatment should be disseminated
- 21) All CT/PT which are inspected should be rated as 'Clean'

SBM ODF++ Declaration Protocol

The following protocol is to be adopted for declaring a city / ward / work circle as SBM ODF++:



THE PROTOCOL IS ELABORATED BELOW:

 All the 'necessary conditions' on infrastructure and regulations have to be fulfilled by the city / ward / work circle¹

Following the fulfilment of (1) above, a declaration has to be obtained from all wards / work circles of the city/town, without exception, declaring respective wards / work circles as SBM ODF++. All wards / work circles of a city/town must make this self-declaration and submit to city municipal administration / development authority / cantonment board as per due process.

- 2) The following sub-declarations are to be obtained by the municipal administration / development authority / cantonment board / wards / work circles, as applicable, in order to facilitate the above self-declaration:
- i. Everyward councillor / work circle in-charge or engineer2
 gives a declaration that all necessary conditions are fulfilled
 as per SBM ODF+ protocol, and ward / work circle has been
 declared as SBM ODF+ to city municipal administration
 / development authority / cantonment board as per due
 process.
- ii. Every ward councillor / work circle in- charge or engineer² gives a declaration that all necessary conditions, as per Annexure 3, are fulfilled for management of faecal matter from all individual, community and public toilets in the jurisdiction.
- iii. Self-declarations from ten citizen categories³ (five representatives in each category) that the city fulfills all conditions for SBM ODF++. As given in Annexure 4 under SBM -ODF++ Declaration formats.
- iv. Every desludging operator gives a declaration (as per format in Annexure 5 under SBM ODF++ Declaration formats) that they are registered with and licensed by the ULB / development authority / cantonment board,
- v. For a city applying directly for ODF++, mandatory declarations as per ODF and ODF+ needs to be obtained from stakeholders.

operating through a contract with respective administration/authority to provide sludge/septage emptying services to households or community and/or public toilets, are utilising mechanized equipment for providing services, are conveying emptied sludge/septage to FSTP/STP with co-treatment facility/SWM treatment plant with co-treatment facility and are not dumping untreated faecal sludge in open environment.

- 3) On fulfillment of the above, the city municipal administration / development authority must pass a preliminary resolution or issue a notification in local dailies of wide reach, declaring the city to be SBM ODF++.
- 4) Following such resolution/notification, a suitable public announcement must be made for the same as well, in atleast two newspapers of wide circulation and readership, inviting public feedback / objection with a fifteen day timeline.
- 5) If no substantial objections are received at the end of this time, a final resolution is adopted by the city municipal administration / development authority and the same is communicated to respective state government.
- 6) On receipt of the said communication, the state government may have the claim of the city verified through an appropriate third party verification process (in a time bound process) before formally according the city the status of being SBM ODF++.
- 7) MoHUA will then carry out the "Swachh Certification for SBMODF++" process (detailed later in this document. Issued certificate shall be valid for *twelve* months and the certification process will need to be carried out every *twelve* months. In case of failure in certification, a onemonth cooling off period (from date of certification failure) shall be applicable before the respective city may again request for SBM ODF++ certification.

¹ Work circle applicable only in case concerned area is under jurisdiction of development authority . For all ULBs only Electoral wards will be considered.

² Only in case of area under jurisdiction of development authority

³ Citizen categories - Resident Welfare Associations, School Principal, Non-Governmental Organisations, Private Sector Organisations, Senior Central Government/Public Sector Bank Officials, Hospital Authorities, Primary Health Centre In-Charge, Transport Authorities, Market Association, Hotel Owners/Managers, Shop Owners, Mall Owners/Managers, Petrol Pump Owners/Managers, Angwanwadi Workers

SBM ODF++ Declaration Formats

1. FORMAT FOR DECLARATION TO BE SUBMITTED BY CITY / TOWN

- 1) Following sub-conditions have been met:
- a. Sewer networks are maintained and operated as per norms¹, with all overflow/leakage issues resolved within 6 hours (point to be removed if city does not have sewer network)
- b. All transmitted sewage is treated at a sewage treatment plant, as per norms² (point to be removed if city does not have sewer network)
- c. Sewage/septage treatment facilities are operated and maintained as per norms³
- d. Treated dried sludge is disposed of at designated site or diverted for appropriate recovery/reuse (recovery/reuse as per norms)
- e. All septic tank cleaning service providers are registered and licensed by ULB / Development Authority / Cantonment Board, operate through contract with the respective administration/authority in allotted areas and utilize well-maintained mechanized equipment (as per recommendation of National Policy on FSSM)
- f. No discharing and/or dumping of untreated faecal waste in the open environment—water bodies, drains, open land, etc.
- g. ULB / Development Authority / Cantonment Board has notified sanitation service level benchmarks, at the least adhering to all conditions defined for SBM ODF++, in municipal bye-laws (or equivalent, in absence of municipal administration) and published the same in atleast two dailies with wide reach.
- 2) All desludging operators in the city / town have submitted their self-declarations regarding registration, licensing and operations (as per Annexure 5 under SBM ODF++ Declaration formats of SBM ODF++ protocol)
- 3) The city has issued and notified fines against persons / desludging operators dumping untreated fecal sludge in drains and / or open areas

4) All Ward Councillors / Work
Circle In-Charge or Engineers
(as applicable) in the city /
town have submitted their
self-declarations regarding SBM
ODF++ status



- 5) Preliminary resolution has been passed declaring the city / town as SBM ODF++
- 6) Above resolution has been publicly announced, in atleast two newspapers of wide circulation and readership, inviting public feedback / objection within 15 days of announcement
- 7) Since no objections have been received within the stipulated time period / since objections and feedback received from the public have been addressed, a final resolution has been adopted by this office regarding SBM ODF++ status
- 8) This final resolution has been communicated to the state government for further verification (if decided to be carried out).

Accordingly,	. (Name of city/town) is hereby
declared SBM ODF++.	

MoHUA is now requested to carry out the "Sw	vachh
Certification for SBM ODF++" process for(N	ame of city/
town).	

• • • • • • • • • • • • • • • • • • • •		• • • • • • • • • • • • • • • • • • • •		• • • • • • • • • • • • • • • • • • • •	• • • •
Signature,	and Nar	ne of May	or / Chai	rperson /	CEO

Date: Seal:

¹ CPHEEO Manual on Sewerage and Sewage Treatment Systems, 2013 and CPCB norms or as amended by state PCB (CPCB norms for sewers - http://cpcb.nic.in/industry-effluent-standards/)

² ibid (CPCB norms for STPs - http://cpcb.nic.in/uploads/Industry-Specific-Standards/Effluent/105-sewage_treatment_plants.pdf)

³ ibid (CPCB norms for STPs - http://cpcb.nic.in/uploads/Industry-Specific-Standards/Effluent/105-sewage_treatment_plants.pdf)

2. FORMAT FOR DECLARATION TO BE SUBMITTED BY EVERY WARD COUNCILLOR/WORK CIRCLE IN- CHARGE OR ENGINEER

- a) All necessary conditions for SBM ODF+ (as per the SBM ODF+ protocol laid down by MoHUA) have been achieved.
- b) All toilets (individual, community and public) are either connected to:
- a. sewer networks; or
- safe containment systems (such as septic tanks, twin pits or other on-site sanitation systems prescribed by CPHEEO orunder SBM-Urban Mission Guidelines), with regular emptying, treatment and/or safe disposal of septage from these toilets managed as per all the following conditions:
- i. No toilet of any kind is found to be discharging in open drains/land/water bodies
- ii. Regular⁴ and safe⁵ emptying of faecal matter contained in onsite sanitation structures atleast once in 3 years, either by ULB / Development Authority / Cantonment Board or by licensed operators contracted by the respective administration/authority
- iii. Safe conveyance and treatment of all faecal sludge, whether at a faecal sludge treatment plant (FSTP) or nearby sewage treatment plant (STP) via co-treatment of septage with conventional wastewater/sewage or SWM treatment plant
- iv. No discharging and/or dumping of untreated faecal waste in the open environment—water bodies, drains, open land, etc.

...... (Signature, and Name of Ward Councillor / Work Circle In-Charge/Engineer)

Date: Seal:

3. FORMATFOR DECLARATION TO BE SUBMITTED BY SCHOOLS

I,....(Name), authorized representative on behalf of(Name of citizen category) in(Name of ULB / development authority / cantonment board) do hereby declare that:



- a) Functional, clean and usable public toilets are available at every 1 kilometer in public and commercial areas
- b) Faecal waste from on-site sanitation systems on our premises is collected and emptied by registered and licensed desludging operators OR by ULB / Development Authority / Cantonment Board utility at least once in two years (applicable if premises have on-site sanitation system)
- c) Buildings on our premises are connected to the city's sewernetwork(applicable if premises do not have on-site sanitation system)
- d) We do not employ manual scavengers for cleaning / emptying of toilet facilities and containment systems (if any on premises)
- e) Our toilet cleaning staffare provided with adequate cleaning equipment and protective gear

(Signature and Name of authorized representative of citizen category)

Address:

Phone Number: Date:

......

⁴ Regular emptying of containment systems and other such onsite sanitation systems is mandatorily done and is the responsibility of the ULB / Development Authority / Cantonment Board

⁵ Persons involved are provided with and using personal protective equipment (PPE) and emptying equipment utilized is being utilized

4. FORMAT FOR SELF DECLARATION TO BE SUBMITTED CITIZEN REPRESENTATIVES

Format for self-declaration by citizen representatives
I,(Name), authorized representative on
behalf of (Name of citizen category)
in(Name of ULB / development authority /
cantonment board) do hereby declare
that:
a) Functional, clean and usable public toilets are available at
every 1 kilometer in public and commercial areas
b) Faecal waste from on-site sanitation systems on our
premises is collected and emptied by registered and licensed
desludging operators OR by ULB / Development Authority
/ Cantonment Board utility at least once in two years
(applicable if premises have on-site sanitation system)
c) Buildings on our premises are connected to the city's
sewernetwork(applicable if premises do not have on-site
sanitation system)
d) We do not employ manual scavengers for cleaning /
emptying of toilet facilities and containment systems (if any
on premises)
e) Our toilet cleaning staff are provided with adequate cleaning
equipment and protective gear
(Signature and Name of authorized representative
of citizen category)
Address:
Phone Number:
Date:
2400

5. FORMAT FOR SELF-DECLARATION TO BE SUBMITTED BY DESLUDGING OPERATORS

- a) Are registered with and licensed by ULB/ Development Authority / Cantonment Board
- b) Are contracted by the ULB / Development Authority / Cantonment Board to provide sludge/septage emptying services to households or community and/or public toilets (copy of contract agreement and details of households and/or community/public toilets allotted by ULB / Development Authority / Cantonment Board for providing services to, both in annexure)
- c) Utilise mechanised equipment to provide emptying services
- d) Usepersonal protective equipment (PPE) to provide mechanical emptying services
- e) Transport the emptied faecal sludge and septage to nearby faecal sludge treatment plant (FSTP) / sewage treatment plant (STP) with co-treatment facility / solid waste management (SWM) treatment plant with co-treatment facility (tick whichever applicable) (details of treatment facility in annexure) which is operated as per Central Pollution Control Board (CPCB) norms or as per amended norms by state PCB
- f) Do not dump untreated faecal sludge in the open environment—water bodies, drains, open land, etc.

(Signature and Name of Director or equivalent of desludging operator)

Registered office address:

Phone number:

Date:

(Attach copy of contract agreement, details of households and/ or community/public toilets allotted by ULB/ Development Authority / Cantonment Board for providing services to, and details of treatment facility where faecal sludge/septage is being conveyed to)

Swachh Certification For SBM ODF++

Once a city has communicated to the respective state government the final resolution declaring the city to be SBM ODF++, and the state government has communicated the same to MoHUA (or in case of development authority or cantonment board, city has directly communicated to MoHUA), a third party verification process ("Swachh Certification for SBM ODF++") is to be adopted, for the final SBM ODF++ certification.

In case of failure in certification, a one-month cooling off period (from date of certification failure) shall be applicable before the respective city may again request for SBM ODF++ certification.

Subsequently, recertification of SBM ODF++ will happen at fixed intervals (every *twelve* months), so as to ensure that there is no slippage of the SBM ODF++ status.

PROTOCOL TO BE FOLLOWED FOR SWACHH CERTIFICATION FOR SBM ODF++

The following protocol will need to be followed for receiving the Swachh Certification:

- a. City self-declares itself as "SBM ODF++" for the first time and communicates the same to state SBM Mission Directorate, which in turn communicates to MoHUA, or directly to MoHUA if under Development Authority / Cantonment Board.
- b. Upon request by City/State to MoHUA, a third party (selected by MoHUA) will mobilize assessors to conduct the verification within a period of 30 days.
- c. For the initial verification, the third party will assess both Service Level Status as well as conduct Independent Observation.
- d. Based upon the result of the assessment, the third party will make recommendations to MoHUA for cities to be certified SBM ODF++.
- e. MoHUA will subsequently issue a certificate to the city for the same based upon the recommendation of the third party.

- f. The certificate, when issued, will need to be recertified every 12 months.
- g. For recertification, upon receiving request, the third party will conduct independent observation within the city within a period of 30 days.
- h. It is to be noted that Service Level Status will not be rechecked during the re-certification.

METHODOLOGY FOR SWACHH CERTIFICATION FOR SBM ODF++

The verification process will be conducted in two parts:

- i. Service Level Status
- ii. Independent Observations

a. Service Level Status:

- i. Preliminary data will be collected in advance by a process of self-assessment from ULBs / Development Authorities / Cantonment Boards as per the defined protocol.
- ii. Third party assessors will visit ULBs / Development Authorities / Cantonment Boards to review the documentation and collect the data systematically ensuring that the process is independent and unbiased.

b. Independent Observations:

- i. ULB / Development Authority / Cantonment Board must mandatorily provide complete city profile data to MoHUA after SBM ODF++ declaration, to facilitate observations.
- ii. The collection of data will be based on physical observation by the third party assessors.
- iii. The questionnaire to facilitate data collection will be created by the third party in conjunction with Ministry of Housing and Urban Affairs.
- iv. The survey assessors will use IT enabled devices to record their observations and findings along with photographs.
- v. The third party will systematically collect photos as evidence for field observations ensuring that the location, date and time are tagged on all the pictures.
- vi. For the assessment, cities will be classified based on population as below. Based upon the size of the city, it will be divided into zones.
- vii. For cities with greater than 10 lakh population, the city will be divided into 4 zones North, South, East and West.

Location Type	No. of locations per zone (>10 lakh+)	No. of locations per city (10 lakh+)	No. of locations per zone (1-10 lakh)	No. of locations per city (1 -10 lakh)	No. of locations per zone (<1 lakh)	No. of locations per city (<1 lakh)
Slum	2	8	1	4	1	2
Roads and Streets	1	4	1	4	1	2
Public Area (Parks/ Temples/	1	4	1	4	1	2
Commercial Area (Markets/	2	8	1	4	1	2
Residential Area Transport hubs (Railway	2	8	1	4	1	2
Stations/Bus Stands/others)	2 per city	2	2 per city	2	1 per city	1
Barren Area (field/ unused land)	2	8	1	4	1	2
	Loca	ation of all open f	ields/unused land	l in the outskirts	of the city to be p	rovided by ULB
Water bodies (pond, lake, stream, river banks, beach/	3 per city	3	2 per city	2	1 per city	1
coast)			All STPs and/or	FSTPs in the city	I	
Total	-	45 minimum	-	28 minimum	-	14 minimum

¹STPs: Sewage Treatment Plants; FSTPs: Faecal Sludge Treatment Plants

- viii. For cities with population between 1–10 lakh, the city will be divided into 4 zones North, South, East and West.
- ix. For cities with population less than 1 lakh, the city will be divided into 2 zones North and South.
- x. Allocations shall be within ULB limits and will be finalized at the discretion of the third party. The selected locations shall not be communicated to ULB / Development Authority / Cantonment Board. A pre-visit may be conducted by a separate team to identify locations for sampling at the discretion of MoHUA.
- xii. The above table lists the locations which have to be mandatorily inspected by the third party for independent observation, without exception.

PROTOCOL TO BE MANDATORILY FOLLOWED BY THE THIRD PARTY TO CARRY OUT SBM ODF++ INSPECTION

- i. The third party shall NOT communicate assessors' arrival in the city to ULBD evelopment Authority/Cantonment Board . Surprise Assessment shall be conducted within one month from the date of application. This condition is in-line with Swachh Survekshan Toolkit and GFC Protocol
- ii. Theassessor(s)shall**NOT**meettheMunicipalCommissioner/NodalOfficer/Chairperson/CEOoranydesignatedofficer.

- iii. Assessor(s) shall conduct inspection for open defecation and toilets in the early morning hours (4am to 6am) and late evening hours (8pm to 10pm), viz. peak hours for open defecation and toilet usage.
- iv. The designated assessor shall visit the inspection sites (only) and prepare/submit her/his report.
- v. Theassessor(s)shall **NOT** beaccompanied by ULB / Development Authority / Cantonment Board staff on the inspection.
- vi. If the assessor (s) fails to geotagthelocation correctly (i.e., latitude and longitude versus then a me of the said location) and in the report if there is a mis match then the said location shall be considered null and void and in case of complaint by ULB/Development Authority/Canton ment Board on such and related matters a penalty of Rs. 500/- per case may be imposed on the third party. Quality Audit on the work of the assessor would be conducted.
- vii. In an event of failed assessment, the reassessment would be conducted after a cooling-off period of one month from the date of failed assessment. If the ULB fails for the second time, the next assessment would be conducted after six months from the date of second reassessment

Annexures

ANNEXURE 1. CT-PT CLEANLINESS SCORING MATRIX

Amendments to ODF, ODF+ and ODF++ protocols are as below:

- 1. ULBs who have been certified as ODF shall be eligible for inspection of higher certifications i.e. ODF+ or ODF++ only after the existing certificate has expired or is due to expire.
- 2. ULBs applying for ODF+ or ODF++ should have mandatorily achieved 100% target of IHHL, CTs and PTs.
- 3. All exemptions to ODF, ODF+ and ODF ++ protocols given during Swachh Survekshan 2019 vide DO letter dated 21st December 2018 stand withdrawn.
- 4. Cooling off period for re-assessment would be 30 days. Any ULB which is observed to be non-compliant to the ODF, ODF+ or ODF++ protocol during assessment shall be eligible for re-assessment only after 30 days from the date of previous assessment. Further, if a ULB fails for the second time consecutively, it shall be eligible for reassessment only after 6 months from the date of second failure.
- $5. \quad \text{CT-PTCleanliness Matrix released on 1st November 2018 shall be an integral part of the ODF+ and ODF++ protocols.}$
- 6. ULBs applying for ODF (First time/re-certification) need to ensure that CTs/PTs in the city fall under 'Clean' category as per CT-PT Cleanliness matrix. ULB should ensure availability of water supply in the community/public toilets.
- 7. Declaration of a ULB as ODF, ODF+ or ODF++ during model code of conduct (Council/State Legislative/ Lok Sabha elections) is not permissible. Alternate terminology such as "Compliance of XYZ protocol by ABC ULB" can be issued by the Administrative head of the ULB.
- 8. For ULBs which are due for ODF re-certification and are compliant to apply for ODF+ or ODF++ can directly apply for higher certification. Upon completion of the assessment, the ULB may be certified as ODF+ or ODF++ based on the compliance to the criteria as per protocol.
- 9. ULBs need to ensure that:
- $(a) \quad ULBs should have ensured that each household has been provided with an Individual toilet or has access to community toilet.$
- (b) Adequate/minimum number of Community and Public Toilets are constructed as per guidelines of Central Public Health and Environmental Engineering Organisation (CPHEEO) and at the same time complying to the requirements mentioned in the respective protocols.
- (c) SMS/anyotherICT based feedback system: For ULBs with population less than 50,000, ULBs may deploy manual feedback mechanism to ensure citizen feedback is being recorded and addressed. The ULB should have mapped all its public/community toilets on Google Maps.
- (d) Incinerator facility available for disposal of used sanitary napkins for to ilet having > 10 seats and also to the to ilets adjacent to Women College and hostels and sanitary napkin vending machine:
- a. ULBs which are unable to install incinerator machines within the toilet premises, need to establish a robust mechanism for managing disposal of sanitary napkins in compliance with Bio-medical Waste Management Rules, 2016 for offsite disposal.
- b. The bins being used for disposal of sanitary napkins should be clearly demarcated for "Sanitary / Bio-medical waste only".
- c. These bins should not be used for any purpose other than "SANITARY/BIO-MEDICAL WASTE" strictly.
- d. In the absence of avending machine for sanitary napkins, an alternative mechanism needs to be devised by the ULB to provide sanitary napkins.
- (e) Available and regularly cleaned (covered) litter bins, with bins available with each toilet seat (to be checked only in female seats):

- $Litter\,bins\,can\,be\,placed\,at\,a\,common\,location\,within\,the\,female\,to ilet\,premises, provided\,the\,male\,and\,female\,sections\,are\,segregated\,in\,the\,overall\,to ilets\,block\,structure.$
- (f) Sanitation Service Level Benchmarks needs to be notified by the ULB and suitable public notice may be issued for the same.
- (g) ULBs shall be given a 48 hour window from the time of completion of assessment to raise any objections to the assessment. Post 48 hour, no claims for resolution / correction of assessment shall be entertained. Any pending documents with reference to the protocol requirements may be submitted within this 48 hour window.

Revised CT-PT cleanliness scoring matrix

MATRIX

Indicator	Unusable	Usable but dirty	Clean	Very Clean	Excellent	Additional / Aspirational
Mandatory	<60%	>60%	>70%	>80%	>90%	>95%
Essential			>60%	>70%	>80%	>90%
Desirable				>60%	>70%	>80%
Additional / Aspirational						>90%

Sl No	Indicators (Range of Services)	Maximum Marks	Option1	Marks	Option 2	Marks	Option 3	Marks	Option 4	Marks	Score received (A)	Weight (B)	Final score (A*B)
			I	MANDATO	DRY SERVICE I	NDICATO	RS (MAXIMU	M SCORE -	- 100)				
M1	All toilet seats and urinals clean and usable at all times	20	>75% seats are clean	20	50-75% seats are clean	20	25-50% seats are clean	10	<25% seats are clean	0		20%	
M2	Wash basin(s)/hand wash facility clean and usable at all times	5	100% clean	5	Partially clean	3	Not clean	1	Not available	0	6%		
M3	Availability of water	20	Water is available in all cubicles	20	Water is available in <50% cubicles	15	Water is available in/ around the premises	10	Water is not available	0		20%	
M4	Adequate ventilation facility (vents, slanted glass slats and/or exhaust fan)	15	Exhaust Fan available	15	Slanted Glass available	13	Natural Ventilation	10	Ventilation not available	0		15%	
M5	Premises are well lit at all times, both within and outside, with each seathaving its own light point, and all light points functional	15	Yes (Functional light points available both outside the premises and within the toilet cubicles	15	Yes(Functional lights available inside the premises)	10	Yes (Functional light points outside the premises)	5	No (No light points available)	0		15%	
M6	Functional bolting arrangements on all doors of all toilet seats (ladies toilets will be assessed separately)	10	>75% doors have functional bolting arrangements	10	50-75% doors have functional bolting arrangements	8	25-50% doors have functional bolting arrangements	5	<25% doors have functional bolting arrangements	0		9%	
M7	Untreated faecal sludge/ septage and sewage from the toilet is not discharged and/or dumped in drains, open areas or water bodies	15	Yes	15					No	0		15%	

Sl No	Indicators (Range of Services)	Maximum Marks	Option1	Marks	Option 2	Marks	Option 3	Marks	Option 4	Marks	Score received (A)	Weight (B)	Final score (A*B)		
				ESSENTI	AL SERVICE IN	NDICATO	RS (MAXIMUM	I SCORE - 1	100)						
E1	Toilet floor is dry and clean at all times	20	Very Clean	20	Clean	15	Partially clean	10	Not clean	0		22%			
E2	Mirrors, if available, are clean and polished	5	Very Clean	5	Clean	3	Partially clean	1	Not clean	0		12%		12%	
E3	Available and regularly cleaned (covered) litter bins, with bins available with each toilet seat (to be checked only in female seats)	12	>75% cubicles have litter bin and are regularly cleaned	12	50-75% cubicles have litter bin and are regularly cleaned	10	25-50% cubicles have litter bin and are regularly cleaned	5	<25% cubicles have litter bin and are regularly cleaned	0		12%		12%	
E4	Available soap / operational soap dispenser	9	Soap Dispenser available and functional with liquid soap/soapbar available	9	No dispenser, but hand- washing Soap Available	6	Detergent soap bar available, not suitable hand- washing soap	3	Soap not available	0		8%			
E5	Usable taps and fittings, with no leakage OR water tank in or outside the structure with water available in it at all times during opening hours	10	>75% cubicles have usable taps with no leakage	10	50-75% cubicles have usable taps with no leakage	8	25-50% cubicles have usable taps with no leakage	6	<25% cubicles haveusable taps with no leakage	0		6%			
E6	Gender- segregated, separateentrances for males and females, if both facilities available in single block	12	Yes (separate entrances for males and females)	12					No	0		12%			
E7	Entrance/ accessibility (like ramp, stairs) to toilet block is barrier free, including those for specially abled persons	12	Yes	12					No	0		8%			


Sl No	Indicators (Range of Services)	Maximum Marks	Option1	Marks	Option 2	Marks	Option 3	Marks	Option 4	Marks	Score received (A)	Weight (B)	Final score (A*B)
E8	Premises are visible to passersby, with clear signage, and the area within 3 m from each direction of the structure is not encroached by unauthorized construction and vendors	11	Signage Available within every 100 m in each (min5 signage)	11	Signage Available within every 300 m (min 3 signage)		Signage Available within every 500 m (min 1 signage)		No Signage Available	0		8%	
E9	Staffis provided with necessary supplies of consumables, cleaning equipment, protective gear and inventory, and there is no stock out for longer than 24 hours	9	Yes all 3 available	9	Yes 2 available	7	Yes 1 available	5	Not available	0		12%	
				DESIRAB	LE SERVICE IN	IDICATOI	RS (MAXIMUM	SCORE - :	100)				
D1	Roster being maintained for regular cleaning and maintenance and a caretaker is on duty at all times during open hours	25	Yes (Roster and Caretaker both available)	25	Yes - (Caretaker available but rosteris not maintained)	15	Yes- (only roster/register available)	10	No (None available)	0		20%	
D2	Public/Communi tyToilet is visible on Google Maps toilet locator as 'SBM Toilet'	25	Yes	25					No	0		20%	

Sl No	Indicators (Range of Services)	Maximum Marks	Option1	Marks	Option 2	Marks	Option 3	Marks	Option 4	Marks	Score received (A)	Weight (B)	Final score (A*B)
D3	Name and contact details of the following are displayed prominently - Toilet identification number, name of ULB under whose jurisdiction toilet is covered, ward number and maintenance authority prominently displayed for each toilet block Supervisor, Supervisor's agency and area Sanitary Inspector (Contact number will be checked whether it is working or not)	20	Yes	20					No	0		20%	
D4	Complaint registration and incidents resolved within 24 hours of registration/manual register for capturing feedback in cities with less 50000 population	20	Yes	20					No	0		20%	
D5	Air freshener (Odonil) applied	10	Yes	10					No	0		20%	
			AD	DITIONAL	/ ASPIRATIO	NAL SERVI	CE INDICATO	ORS (MAXI	MUM SCORE	- 1 00)			
A1	Walls and floors are stain / graffiti free	15	Yes	15					No	0		15%	
A2	Low height toilets/Indian toilets for children	15	Yes	15					No	0		15%	
A3	Plants/shrubsin the vicinity of toilet complex Are well maintained/ Plant pots available	10	Yes	10					No	0		15%	

Sl No	Indicators (Range of Services)	Maximum Marks	Option 1	Marks	Option 2	Marks	Option 3	Marks	Option 4	Marks	Score received (A)	Weight (B)	Final score (A*B)
A4	Space earmarked for advertisement for revenue generation (Even if advertisement is not available marks will be awarded)	10	Yes	10					No	0		10%	
A5	Hand dryer / paper napkin available/ Towels	10	Yes	10					No	0		10%	
A6	Ladies' toilets have vending machine/ mechanism for sanitary napkins	10	Sanitary napkin vending machine/ mechanism is available and functional	10	Sanitary napkin vending machine/ mechanism is available but not functional	5			Not available	0		10%	
A7	Incinerator facility \ or separate mechanism available for disposal of used sanitary napkins for toilet having > 10 seats and also to the toilets adjacent to women college /hostels	10	Incinerator is available and functional or separate mechanism for collection has been established	10	Incinerator is available but not functional / separate collection system is not being practiced regularly	5			Not available	0		10%	
A8	Functional floodlights / halogen vapour lamps outside the toilet premises during the night, without any dark, shadowy areas inthevicinityofthetoilet	5	Yes	5					Not available	0		5%	
А9	SMS/anyotherICTbased feedback system (with number displayed on which SMS has to be sent)	10	Available	10					Not available	0		5%	
A10	Structural audit of toilet block done	5	Yes	5					No	0		5%	

2. FORMAT FOR SELF-DECLARATION BY SCHOOL STUDENTS
(TOBEATTACHEDWITHTHESCHOOLDECLARATION)
I, (Name of student), do hereby declare that neither I n
any of my family members go out for defecation. I declare that my family members
and I use a toilet at home / use a community toilet in the neighborhood, for
defecation and urination, and that these toilets are functional and well-maintained,
with water availability.
(Signature and Name of student) /
(Signature and name of guardian for students of class nursery – class 4) Date:
3. FORMAT FOR SELF-DECLARATION BY SCHOOL STAFF AND TEACHERS
(TO BE ATTACHED WITH THE SCHOOL DECLARATION)
I,(Name of staff or teacher), do hereby declare
that neither I nor any of my family members go out for defecation. Ideclare
that my family members and I use a toilet at home
/ use a community to ilet in the neighborhood, for defecation and urination,
and that these toilets are
functional and well-maintained, with water availability.





4. SAMPLELIST OF DOCUMENTS TO BE FURNISHED BY ULB/ DEVELOPMENT AUTHORITY/CANTONMENT BOARD FOR THIRD PARTY VERIFICATION FOR SBMODF+

...... (Signature and Name of staff)

 $The documents \ below \ shall \ be \ provided \ separately \ if the information \ is \ not \ provided \ in \ the \ city \ profile \ that \ is \ to \ be \ handed \ over \ to \ third \ party \ for \ certification.$

- Complete city profile to be submitted on Common City Profile Portal
- Proof of individual to ilet coverage (based on household survey, property tax system or any other acceptable source)
- List of all community and public toilets, ward wise

Date:

- Target number of public toilets to be constructed in the city/town (considering floating population), calculated as 1 seat/urinal for every 250 users (floating population no less than 5% of total urban population)
- Details of maintenance in-charge for all community and public toilets
- Logbook/record of community and public toilet maintenance for all such toilets, with details of issues/ incidents and resolution time
- Details of cleaning schedule for all community and public toilets for a period of last 3 months (if toilet has been constructed within last 3 months, proof of construction and cleaning schedule commencing from operational date to be provided)
- Details of water connections and copy of water bills for all community and public toilets
- Details of electricity connections (or other sustainable energy arrangements) and copy of electricity bills for all community and public toilets
- Details of feedback pertaining to all community and public toilets, obtained from the feedback mechanism provided
- · Inventory record of protective gear and cleaning equipment provided to staff at toilets
- Details of user charges, if any, for all community and public toilets
- · List of all public and commercial areas, ward-wise
- Notification of fine against defecating in the open
- Copy of service level status clause in contract agreement with concessionaire/maintenance authority

- Copy of receipt / ledger maintained by CT/PT maintenance staff, as provided by ULB / Development Authority / Cantonment Board desludging utility / contracted desludging operator for septic tank (or other OSS) emptying service
- Copy of penalty clause in contract agreement with concessionaire/maintenance authority for non- adherence to service level status
- Copy of sanitation service level benchmarks published by ULB / Development Authority / Cantonment Board
- Evidence of dissemination of service level benchmarks published by ULB / Development Authority / Cantonment Board, to atleast 10 citizen categories

5. NECESSARY CONDITIONS FOR MANAGEMENT OF FAECAL MATTER FROM ALL TOILETS (INDIVIDUAL, COMMUNITY AND PUBLIC)

- a. No toilet of any kind is found to be discharging in open drains/land/water bodies
- b. Regular 1 and safe 2 emptying of faecal matter contained in onsite sanitation structures at least once in three years, either by ULB / Development Authority / Cantonment Board or by licensed operators contracted by the respective administration / authority
- c. Safe conveyance and treatment of all faecal sludge, whether at a faecal sludge and septage treatment plant or nearby STP (details of plant should be submitted on SBM Portal/MIS) via co-treatment of septage with conventional wastewater/sewage or co-treatment with solid waste at SWM treatment plant, and is treated as per Central Pollution Control Board (CPCB) standards or as amended by the state PCB
- d. Sewer networks, where existing, are maintained as per norms3, with all overflow/leakage issues resolved within 6 hours of being brought to notice.
- e. Desludging schedule is maintained by ULB
- f. All transmitted sewage is treated at a sewage treatment plant, as per norms4 (not applicable if city does not have sewer network)
- g. Sewage/septage treatment facilities are operated and maintained as per norms5
- $h. \quad Where sewer networks do not exist, no discharging and/or dumping of untreated faecal waste in the open environment—water bodies, drains, open land, etc.$
- i. Treated sludge is disposed of at designated site or diverted for appropriate recovery/reuse (recovery/reuse as per norms6).



6. FORMAT FOR SELF-DECLARATION TO BE SUBMITTED BY DESLUDGING OPERATORS

- a) Are registered with and licensed by ULB/ Development Authority / Cantonment Board
- b) Are contracted by the ULB / Development Authority / Cantonment Board to provide sludge / septage emptying services to households or community and/or public toilets (copy of contract agreement and details of households and/or community / public toilets allotted by ULB / Development Authority / Cantonment Board for providing services to, both in annexure)
- c) Utilise mechanised equipment to provide emptying services
- d) Use personal protective equipment (PPE) to provide mechanical emptying services
- e) Transport the emptied faecal sludge and septage to nearby faecal sludge treatment plant (FSTP) / sewage treatment plant (STP) with co-treatment facility / solid waste management (SWM) treatment plant with co-treatment facility (tick whichever applicable) (details of treatment facility in annexure) which is operated as per Central Pollution Control Board (CPCB) norms or as per amended norms by state PCB
- f) Do not dump untreated faecal sludge in the open environment—water bodies, drains, open land, etc.

 (Signature and Name of Director or equivalent of desludging operator)

Registered office address: Phone number:

Date:

(Attach copy of contract agreement, details of households and/or community/public toilets allotted by ULB/ Development Authority / Cantonment Board for providing services to, and details of treatment facility where faecal sludge/septage is being conveyed to)

7. SAMPLE LIST OF DOCUMENTS TO BE FURNISHED BY ULB/DEVELOPMENT AUTHORITY/CANTONMENT BOARD FOR THIRD PARTY VERIFICATION FOR SBM ODF++

 $The documents \ below \ shall \ be \ provided \ separately \ if the information \ is \ not \ provided \ in \ the \ city \ profile \ that \ is \ to \ be \ handed \ over \ to \ third \ party \ for \ certification.$

- Complete city profile
- SBM ODF++ declaration (submitted to municipal administration or as applicable), ward wise
- City/town SBM ODF+ certification as provided by third party
- List of all community and public toilets, ward wise
- Target number of public toilets to be constructed in the city/town (considering floating population), calculated as 1 seat/urinal for every 250 users (floating population no less than 5% of total urban population)
- Details of maintenance in-charge for all community and public toilets
- Details of cleaning schedule for all community and public toilets for a period of last 3 months (if toilet has been constructed within last 3 months, proof of construction and cleaning schedule commencing from operational date to be provided)
- Logbook/record of community and public toilet maintenance for all such toilets, with details of issues/ incidents and resolution time
- Details of water connections and copy of water bills for all community and public toilets
- Details of electricity connections (or other sustainable energy arrangements) and copy of electricity bills for all community and public toilets
- Details offeedback pertaining to all community and public toilets, obtained from the feedback mechanism provided
- Inventory record of protective gear and cleaning equipment provided to staff at toilets
- · Details of user charges, if any, for all community and public toilets
- · List of all public and commercial areas, ward-wise
- Notification of fine against defecating in the open
- Evidence of no instances of manual scavenging reported in city in past one year, in local dailies etc.
- Copy of service level status clause in contract agreement with concessionaire/maintenance authority

- Copy of penalty clause in contract agreement with concessionaire/maintenance authority for toilet blocks for non-adherence to service level status
- Copy of receipt / ledger maintained by CT/PT maintenance staff, as provided by ULB / Development Authority / Cantonment Board desludging utility / contracted desludging operator for septic tank (or other OSS) emptying service
- Notification of fine against persons / desludging operators for dumping fecal sludge in drains and / or open areas
- List of all household to ilets, with type of sanitation structure defined (on-site containment such as septic tank, twin pit, etc., or connection to sewerage network), ward wise
- Schedule / log book of emptying services provided to households, by both ULB / Development Authority / Cantonment Board utility or by contracted operators
- Record of registration and license of all desludging operators
- Area wise/ward wise detail of all on-site structures (septic tanks) and/or drains/connections under charge of each licensed desludging operator
- Record of maintenance for desludging/emptying equipment, whether owned by ULB / Development Authority / Cantonment Board or licensed operator
- Record of maintenance for sludge transportation vehicles (Sludge transportation vehicles are those which collect treated dried sludge or desludging vehicles), whether owned by ULB / Development Authority / Cantonment Board or licensed operator
- User charges notification for the purpose of sludge emptying and collection
- Mapping of registered and un-registered septic tank cleaners/private operators
- Reports/logbook details from registered desludging vehicles
- Notification of designated, safe disposal site for treated faecal matter AND/OR recovery/reuse agreements
- Reports/logbook details from authorized disposing entity
- City sewerage network plan
- Schedule of cleaning and maintenance of city sewerage network, section-wise
- Details of working/functional sewage treatment plants (STPs)/faecal sludge treatment plants (FSTPs)/ co-treatment facilities in the city
- Details of sewage / faecal sludge treated per day versus capacity to treat per day (in MLD for STPs and in KLD for FSTPs)
- Location of all STPs / co-treatment plants, and distance of the same from the city
- Location of all FSTPs
- Logbook/details of input parameters of STP, if existing, for last 6 months
- Logbook/details of output parameters of STP, if existing, for last 6 months
- Copy of recovery/reuse agreements for treated sludge
- Copy of service level benchmarks for water supply and sanitation published by ULB / Development Authority / Cantonment Board
- Sanitation complaint log maintained by ULB / Development Authority / Cantonment Board, for record of manual scavenging or lack of the same
- Logbook/record of sewer network maintenance, with details of incidents/issues and resolution time
- Evidence of dissemination of service level benchmarks published by ULB / Development Authority / Cantonment Board, to atleast 10 citizen categories

8. GOOD PRACTICES ADOPTED BY ULBS/STATES

Several cities in India have adopted good practices that go beyond eliminating open defecation, and focus on improving services and infrastructure across the sanitation value chain, or on improving maintenance parameters for public and community toilets.

Faecal Sludge Treatment Plant in Devanahalli, Karnataka

The Devanahalli Town Municipal Council (TMC), Consortium for DEWATS Dissemination (CDD) Society and Bremen Overseas Research and Development Association (BORDA) jointly set up a faecal sludge treatment facility for the town of Devanahalli in Karnataka, to cater to the majority dependence on pits or septic tanks for containment of waste from household toilets. Earlier, greywater from households was disposed into nearby storm water drains or was reused in kitchen gardens wherever feasible. The

faecal sludge collected by TMC from septic tanks/pits was either transported to farmlands and applied to the soil, or disposed at an undesignated location. The facility was set up with the understanding that underground drainage system and sewage treatment plant would not be feasible for the town, due to poor water availability as well as lack of government funds. The FSTP, with a design capacity of 6000 liters/day, caters to the 30,000 plus population of Devanahalli. It is a gravity-based facility that requires no electricity for treatment.

For further details on the FSTP and its operations and maintenance, you may contact Devanahalli Town Council.

Scheduled Septic Tank Emptying Services with FSSTP in Wai and Sinnar, Maharashtra

Wai and Sinnar Municipal council are on their way to become SBM ODF+ through implementation of Faecal Sludge and Septage Management plans. The councils have formulated a scheduled septic tank emptying plan, wherein all the septic tanks/onsite systems in the city would be emptied by rotation once in 3 years and the collected septage will be treated at a dedicated faecal sludge and septage treatment plant (FSSTP). To provide this service, ULB has rolled out a performance-based contract, wherein a private sector will provide this service. Financing of these contracts will be through sanitation tax levied on all properties.

For further details on Wai and Sinnar SBM ODF+ approach, you may contact the Wai and Sinnar municipal councils.

Community and Public Toilet Guidelines, Swachh Andhra Corporatio, Andhra Pradesh

The Swachh Andhra Corporation of the Government of Andhra Pradesh released 'Guidelines for Public and Community Toilets Management by Cities for Andhra Pradesh' in 2016. The guidelines cover city level and citywide planning for public and community and public toilets and sustainable management, scale operations of toilet block/unit (including design considerations, facilities, infrastructure for construction/upgradation of toilets), operations and maintenance of toilet facilities, and a toolkit to support city and toilet management (including GIS-enabled MIS for toilet inventory, inventory best practices, O&M requirements and much more).

For further details on Andhra Pradesh's approach to ODF sustainability, you may contact the Swachh Andhra Corporation.

Jharkhand's Public Toilets mapped on Google Maps Toilet Locator

Jharkhand declared itself as Open Defecation Free on 2 October 2017, and allits 41 ULBs came to be certified as ODF by March 2018. In an effort to sustain the ODF status, the Government of Jharkhand collaborated with Google to get location and other details of all public toilets in all its ULBs uploaded on Google Maps Toilet Locator. These toilets are located in/at malls, petrol pumps, restaurants, railway stations, and bus stands. The information on the app includes details such as whether the toilet is Indian style or western style, and whether it is free for use or what are its opening hours. After using a mapped toilet, a user can also review the toilet or give a star ranking on the app, allowing other users to gain an idea of its cleanliness before using it. This will serve to create alertness in authorities regarding cleanliness and maintenance of the toilet facilities.

For further details on Jharkhand's approach to ODF sustainability, you may contact the Swachh Bharat Urban, Government of Jharkhand.

9. Standalone Urinals Cleanliness Matrix

Standalone Uri	nals Cleanliness S	Scoring Matrix				
Indicator	Unusable	Usable but dirty	Clean	Very Clean	Excellent	Additional / Aspirational
Mandatory	<60%	>60%	>70%	>80%	>90%	>95%
Essential			>60%	>70%	>80%	>90%
Desirable				>60%	>70%	>80%
Additional / Aspirational						>90%

		Cleanliness Pro	otocol for Standalone	Urinals						
	Indicators	Groundiness i Te	Staridarone							
S.No.	(Range of Services)	Maximum Marks	Option 1	Marks	Option 2	Marks	Option 3	Marks	Option 4	Marks
	MANDATORY SERVICE INDICATORS (MAXIMUM SCORE - 100)									
M1	All urinals are clean and usable at all times	20	>75% urinals are clean	15	50-75% Urinals are clean	10	25-50% Urinals are clean	7	<25% Urinals are clean	0
M2	Availability of water for flushing	20	Water is available for all Urinals	15	Water is available in <50% Urinals	10	Water is available within / around the premises, but not separately for each unit	7	Water is not available	0
М3	Arrangement for disposal: Discharge from urinals is contained in a Safe On-site sanitation system/ sewer network	10	Yes	10					No	0
M4	Complaint registration and redressal mechanism (Swachhata App/local app/ other ICT-based media such as WhatsApp, Swachhata helpline 1969) is in place and is functional, with all complaints, maintenance issues or incidents resolved within 24 hours of registration	8	Yes	8					No	0
M5	Urinal Block is visible on Google Maps toilet locator as 'SBM Toilet'	8	Yes	8					No	0
М6	Roster being maintained for twice a day cleaning and maintenance of sanitary fittings(being replaced/repaired as per condition)	10	Yes (Roster available, twice a day cleaning and maintenance)	10	Yes (Roster available, once a day cleaning and maintenance)	7	Yes- (Roster available for cleaning only)	5	No roster available)	0
М7	Adequate ventilation facility available	7	Natural Ventilation/Exhaust Fan available	7					Ventilation not available	0
M8	Urinal Blocks are well lit at all times (lights available)	7	Yes (well lit)	7	Partially Lit	5			No provision for light	0
М9	Gender-segregated, separate entrances for males and females, if both facilities available in single block	5	Yes (separate entrances for males and females)	5					No	0
M10	All female Urinal Blocks have functional bolting arrangements and view blocker	5	>75% doors have functional bolting arrangements with view blocker	5	50-75% doors have functional bolting arrangements with view blocker	3	25-50% doors have functional bolting arrangements with view blocker	1	<25% doors have functional bolting arrangements with view blocker	0
	Sub Total	100					•			
	ESSENTIAL SERVICE INDICATORS (MAXIMUM SCORE – 100)									
E1	Floor of Urinal Block is clean and dry at all times	15	Very Clean	15	Clean	12	Partially clean	8	Not clean	0
E2	Wash basin available with functional tap and water supply	15	Wash basin available and functional	15	Wash basin available but non functional	10			Wash basin unavailable	0
E3	Wall mounted soap dispenser(functional) is available	10	Soap Dispenser available and functional with liquid soap	10	No dispenser, but soap bar is available	6			Soap not available	0
E4	Litter Bins(covered) are kept in each Urinal Block and cleaned regularly.	10	At least one litter bin found inside the Urinal Block	10					Litter bin unavailable	0
E5	Sanitary fittings with no leakage OR water tank in or outside the structure with water available in it at all times during opening hours	10	>75% urinals have usable sanitary fitting with no leakage or broken element	10	50-75% urinals have usable sanitary fittings with no leakage	8	25-50% urinals have usable sanitary fittings with no leakage	6	<25% urinals have usable sanitary fittings with no leakage	0
E6	Entrance/ accessibility (like ramp, stairs) to Urinal block is barrier free, including those for specially abled persons	10	Yes	10	No	0				

E7	Premises are visible to passersby, with clear signage, and the area within 3 m from each direction of the structure is not encroached by unauthorized construction and vendors	10	Signage Available within every 100 m in each (min 5 signage)	10	Signage Available within every 300 m (min 3 signage)	8	Signage Available within every 500 m (min 1 signage)	5	No Signage Available	0
E8	Necessary supplies of consumables, cleaning equipment, protective gear and inventory, and there is no stock outage for more than 24 hours	10	Yes all 4 available	10	Yes 3 available	7	Yes 2 available	5	Not available	0
E9	Child friendly (low height) and disabled friendly (handle bars) urinals are available	10	Yes	10					No	0
	Sub Total	100								
	DESIRABLE SERVICE INDICATORS (MAXIMUM SCORE – 100)									
D1	Name and contact details of the following are displayed prominently - Urinal identification number, name of ULB under whose jurisdiction urinal block is covered, ward number and maintenance authority prominently displayed for each urinal block Supervisor, Supervisor's agency and area Sanitary Inspector(Contact number will be checked whether it is working or not)	30	Yes	30					No	0
D2	SMS / any other ICT based feedback system (GTL mandatory)	25	Available	25					Not available	0
D3	Plants / shrubs in the vicinity of Urinal block are well maintained	20	Yes	20					No	0
D4	Mechanism available for deodorizing foul smell	25	Yes	25					No	0
	Sub Total	100								
	ADDITIONAL / ASPIRATIONAL SERVICE INDICATORS (MAXIMUM SCORE - 100)									
A1	Walls and floors are free from scribbling or unwanted writing	20	Yes	20					No	0
A2	Space earmarked for advertisement for revenue generation(Even if advertisement is not available marks will be awarded)	20	Yes	20					No	0
А3	Female Urinal block has vending machine/or alternate mechanism for provision of sanitary napkins	20	Sanitary napkin vending machine/alternate mechanism is available and functional	20	Sanitary napkin vending machine/alternate mechanism is available but not functional	10			Not available	0
A4	Mechanism for safe disposal of sanitary napkins (collection and safe disposal through biomedical waste operator)	20	Collection and Disposal mechanism is in place and operational	20	Collection and Disposal mechanism is in place but not operational	10			Not available	0
A5	Structural audit of urinal block conducted	20	Yes	20					No	0
	Sub Total	100								

